



TEST REPORT

Report No. : WTF24F10231035A1C

Applicant: Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer..... 114697

Sample Name Straight umbrella

Sample Model : MO2167

Test Requested: Refer to next page (s)

Test Method: Refer to next page (s)

Test Conclusion : Pass (Please refer to next pages for details)

Date of Receipt sample 2024-10-08 & 2024-10-16

Date of Issue : 2024-10-22

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang



WTF24F10231035A1C



Summary

Item No.	Test Requested	Test Conclusion
our TEX W	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2 41 A	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3 TEX	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5 WALTER	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass_
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tariff July	LOQ	Results (m	Limit	
Test Item	(mg/kg)	No.1+No.2+No.3	No.4	(mg/kg)
Lead(Pb)	2	60*	ND +	500
Conclusion		Pass	Pass	11, 11,

Tool Rom STEE	LOQ	JUNE WILL	esults (mg/kg)	L 25 268	Limit
Test Item	(mg/kg)	No.5+No.17	No.6	No.7	(mg/kg)
Lead(Pb)	2	10*	ND	ND	500
Conclusion	at the title	Pass	Pass	Pass	11. 711.

The Ham aliter	LOQ	ry any and	Results (mg/kg	g)	Limit
Test Item	(mg/kg)	No.8	No.9	No.10	(mg/kg)
Lead(Pb)	n 2 un	ND	ND	ND	500
Conclusion		Pass	Pass	Pass	20, 20,

all with all	LOQ	Results (n	Limit	
Test Item	(mg/kg)	No.11+No.16+No.18	No.12	(mg/kg)
Lead(Pb)	2	74*	ND -	500
Conclusion	L 3-	Pass	Pass	10, 10,

Test Item	LOQ		Results (mg/kg) + +	Limit
	(mg/kg)	No.13	No.14	No.15(R1)	(mg/kg)
Lead(Pb)	2	ND	ND	ND-	500
Conclusion	at the	Pass	Pass	Pass	20, 20

T-11 11 17 18 18	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.19	No.20	(mg/kg)
Lead(Pb)	2	ND	ND	500
Conclusion	24 24 X	Pass	Pass	2, -



Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Took Hom	LOQ	to the tier and	Results (mg/kg)			
Test Item	(mg/kg)	No.1+No.2+No.3	No.4	No.5+No.17		
Cadmium(Cd)	2	ND*	ND ND	ND*		
Conclusion	mr -m	Pass	Pass	Pass		

Took Itom	LOQ		Results (mg/kg)	Mrs. Mr. Mr.
Test Item	(mg/kg)	No.8	No.10	No.11+No.16+No.18
Cadmium(Cd)	2	ND ND	ND	15*
Conclusion	10, - 20, 1	Pass	Pass	Pass

Took Home	LOQ	Results	(mg/kg)
Test Item	(mg/kg)	No.15(R1)	No.19
Cadmium(Cd)	2	THE NO. NO. OF THE SECOND SECO	ND ND
Conclusion	1 Mr Mr.	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)		Limit
	(%)	No.1+No.2+No.3	No.4	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	A WILL WILLER MI
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.057*	ND	sum of four
Dibutyl phthalate (DBP)	0.005	0.013*	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	NUTER MITTER
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	a de lit
Diisononyl phthalate (DINP)	0.01	ND*	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	printialates < 0.1
Conclusion	y <u>-</u> et	Pass	Pass	71, 71, 71,

Test Items	LOQ	Results (%)		Limit
TEX STEX STATE OF THE	(%)	No.5+No.17	No.8	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	in in in
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	ir mer mer
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	IEF INLIER MALTER
Diisononyl phthalate (DINP)	0.01	ND*	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND	printialates < 0.1
Conclusion	1. "LT. "	Pass	Pass	Jr 74 5



Test Items	LOQ	Results (%)		Limit
at let telt stelt	(%)	No.10	No.11+No.16+No.18	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND*	Murra Ann .
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	0.017*	sum of four
Dibutyl phthalate (DBP)	0.005	ND	ND*	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND	ND*	
Diisodecyl phthalate (DIDP)	0.01	ND	ND*	A TEX STER
Diisononyl phthalate (DINP)	0.01	ND	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	ND*	primalates < 0.1
Conclusion	JEK -JIEK	Pass	Pass	t

Test Items	LOQ	Results (%)		Limit
OLITER WHITE WHILE	(%)	No.15(R1)	No.19	(%)
Benzyl butyl phthalate (BBP)	0.005	ND	ND	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND ND	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	JET MND MEL	ND	The state of the s
Diisodecyl phthalate (DIDP)	0.01	ND	ND ND	ILT WILL MILL
Diisononyl phthalate (DINP)	0.01	ND	ND	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND TO	"ND "	princial de Cont
Conclusion	The state of	Pass	Pass	LIER WILL ON



W

Report No.: WTF24F10231035A1C Job No.: FSW2410080045CJ

Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DIDP= Di-isodecyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

(2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

(4) "<" = less than

(5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

(6) "*" = Results are calculated by the minimum weight of mixed components.





4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No. Amines Substance	Aminos Substances	CAS No.	Limit	Result (mg/kg)	
NO.	Amines Substances	CAS NO.	(mg/kg)	No.6	
1	4-Aminobiphenyl	92-67-1	30	ND	
2	Benzidine	92-87-5	30	ND	
3	4-chloro-o-Toluidine	95-69-2	30	ND	
4	2-Naphthylamine	91-59-8	30	ND WELL IN	
5	o-Aminoazotoluene	97-56-3	30	ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND U	
7	p-Chloroaniline	106-47-8	30	ND	
8	2,4-diaminoanisol	615-05-4	30	ND ND	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	
10	3,3'-Dichlorobenzidine	91-94-1	30	UND WE	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND A	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND IN A	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	L ND	
14	p-cresinin	120-71-8	30	ND ND	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND:	
16	4,4'-Oxydianiline	101-80-4	30	ND W	
17	4,4'-Thiodianiline	139-65-1	30	ND	
18	o-Toluidine	95-53-4	30	ND W	
19	2,4-Toluylendiamine	95-80-7	30	ND ND	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	
21	o-anisidine	90-04-0	30	⊬ ND ND	
22	4-aminoazobenzene	60-09-3	30	ND	
23	2,4-Xylidin	95-68-1	30	ND ND	
24	2,6-Xylidin	87-62-7	30	W ND	
	Conclusion		A A	Pass	

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	110.14	Results	1.00	Limit
	Unit	No.1+No.2+No.3	LOQ	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	(1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	A A	Pass	2112 2112	14 - 14

Fact Home All State State	Unit	Results	1.00	Limit	
Test Items	Unit	No.4	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	1.0	
Chrysene (CHR)	mg/kg	ND LIFE	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND ND	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND ND	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND	0.2	1.0	
Conclusion	etet-	Pass	July - Mer	1/1/2 - 1/1/	



Took Home	JE IIII JE	Results	1.00	I imais
Test Items	Unit No.5+N	No.5+No.17	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion		Pass	iter nite not	in the

Test Items	Unit	Results No.8	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	THE ND WALL	0.2	1.0
Chrysene (CHR)	mg/kg	ND	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	COND CO	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND NO	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ILL WIND WE	0.2	1.0
Conclusion		Pass	LIER MATTE MA	in min



Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.

6) Colour Fastness to Rubbing

Colour Fastness to Rubbing				
(ISO 105-X1	2: 2016; Size of rubbing finger	: 16mm diameter.)	er.)	
20, 20,	4 4	No.6	Client's Limit	
et	Dry staining	4-5	2-3	
Length	Wet staining	4-5	2-3	
10/:445	Dry staining	4-5	2-3	
Width	Wet staining	4-5	2-3	
Conclusion		Pass	11. 20 2	

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.




Description for Specimen:

Specimen No.	Specimen Description		
t 12 Test Stell o	Black plastic shell		
2 m 2 m	Black plastic handle		
Title 3 start make her	Black plastic buckle		
4	Black plastic cap		
12 m m	Transparent plastic sheet		
et of the state of	Black main fabric		
7	Silvery metal sheet		
mit 8 mil mil un	Black coating		
1 9 1 5th 5th	Silvery metal tube without black coating		
10	Black plastic strip		
TEL MIE MILIE MIL	Black plastic connector		
12	Silvery metal rivet		
We 13 We We W	Silvery metal strip without black coating		
14 LT	Silvery metal strip		
15(R1)	Black soft plastic ring		
ALLE VIEW ON	Black plastic button		
17 Jet J	Black plastic shell		
18	Black plastic shell		
19	Black plastic part		
20	Silvery metal rivet		



Photograph of parts tested:







WATER E



Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

