

TEST REPORT

Report No. : WTF24F05101339C

Applicant : Mid Ocean Brands B.V.

Wan, Kowloon, Hong Kong

Manufacturer.....: 114697

Sample Name: Umbrella

Sample Model : MO2287

Test Requested : Refer to next page (s)

Test Method: Refer to next page (s)

Date of Receipt sample 2024-05-06

Testing period.....: 2024-05-06 to 2024-05-10

Date of Issue : 2024-05-13

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun Town, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang


WTF24F05101339C



Summary

Item No.	Test Requested	Test Conclusion
whiteh w	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	THE MASSING
2 11/12	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass Lift
5 TELL	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
m6Ek	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass

Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Whi whi Re	Results (mg/kg)	A A	Limit
	(mg/kg)	No.1+No.3+No.6	No.2	No.4+No.5	(mg/kg)
Lead(Pb)	2	ND*	ND	ND*	500
Conclusion	L 14 14	Pass	Pass	Pass	- n

Tool Home of the	LOQ	Results	s (mg/kg)	Limit
Test Item	(mg/kg)	No.7+No.8+No.9	No.10+No.11+No.12	(mg/kg)
Lead(Pb)	2 30	ND*	ND*	500
Conclusion	- // - //+	Pass	Pass	20, -

Charles aliek	LOQ	Results (ı	mg/kg)	Limit
Test Item	(mg/kg)	No.13+No.14	No.15	(mg/kg)
Lead(Pb)	2 11	ND*	ND	500
Conclusion	, , , <u>-</u> , , , ,	Pass	Pass	71 711

Fire waster out to	LOQ		Results	(mg/kg)		Limit
Test Item	(mg/kg)	No.16	No.17	No.18	No.19	(mg/kg)
Lead(Pb)	2 0	ND	ND	ND	J- ND J-	500
Conclusion	the set of	Pass	Pass	Pass	Pass	1 12

-15th 12 15th 12 15	LOQ	Results (m	g/kg)	Limit
Test Item	(mg/kg)	No.20+No.21+No.22	No.23	(mg/kg)
Lead(Pb)	2	ND*	ND ND	500
Conclusion	7.t - 1.t	Pass	Pass	2 3

Talk TEN	LOQUELL	Results (mg/kg)	Limit
Test Item	(mg/kg)	No.24	(mg/kg)
Lead(Pb)	2	ND ND	500
Conclusion	at -at at	Pass West	20 -



Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) As specified by client, only test the designated sample.

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Take Kama Light N	LOQ	MULL MUT MI	Results (mg/kg)	s (mg/kg)		
Test Item	(mg/kg)	No.1+No.3+No.6	No.2	No.19		
Cadmium(Cd)	2	ND*	ND	ND ND		
Conclusion	* - A	Pass	Pass	Pass		

Took Hom with	LOQ	Results (m	g/kg)
Test Item	(mg/kg)	No.20+No.21+No.22	No.23
Cadmium(Cd)	2	MD*	ND ND
Conclusion	Y A Y //	Pass	Pass

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

- (5) "*" = Results are calculated by the minimum weight of mixed components.
- (6) As specified by client, only test the designated sample.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)			Limit
The state of the state	(%)	No.1+No.3+ No.6	No.2	No.19	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	ND	mer mer
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	ND	AL ND TO	sum of four
Dibutyl phthalate (DBP)	0.005	ND*	ND	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND*	ND	ND	The Murit Muri
Diisodecyl phthalate (DIDP)	0.01	ND*	ND	ND	t liet niter
Diisononyl phthalate (DINP)	0.01	ND*	ND ND	ND W	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND (ND ND	
Conclusion	CEL TIER	Pass	Pass	Pass	1 -st

Test Items	LOQ	Results (%)		Limit	
	(%)	No.20+No.21+No.22	No.23	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND	L at alt	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	THE ND WILL	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	ND ND	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*n" M	ND	t at at	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND TO NO	ri wir wir	
Diisononyl phthalate (DINP)	0.01	ND*	ND	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND W	printidates < 0.1	
Conclusion	7/12	Pass	Pass	Lifet nate and	



Note:

DBP= Dibutyl phthalate

BBP= Benzyl butyl phthalate

DEHP= Bis-(2-ethylhexyl)- phthalate

DIDP= Di-isodecyl phthalate

DIDP= Di-isodecyl phthalate

DIBP= Diisobutyl phthalate

(1) % = percentage by weight

- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.
- (7) As specified by client, only test the designated sample.





4) AZO

 $Test\ Method:\ With\ reference\ to\ BS\ EN\ ISO\ 14362-1:\ 2017\ and\ BS\ EN\ ISO\ 14362-3:\ 2017,\ analysis\ was\ performed$

by Gas Chromatographic Mass Spectrometry (GC-MS)

2 ,	Amines Substances CAS No.	Vr. 20	l imit	Result (mg/kg)		
No.		Limit (mg/kg)	No.7+No.8+ No.9	No.10+No.11+ No.12		
1	4-Aminobiphenyl	92-67-1	30	ND*	ND*	
2	Benzidine	92-87-5	30	ND*	ND*	
3	4-chloro-o-Toluidine	95-69-2	30 0	ND*	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*	
14	p-cresinin	120-71-8	30	ND*	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*	
18	o-Toluidine	95-53-4	30	ND*	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*	
21	o-anisidine	90-04-0	30	ND*	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	ND*	
4	Conclusion	11 P	TO THE PARTY OF	Pass	Pass	



No.	Amines Substances	CAS No.	Limit	Result (mg/kg)	
NO.	Amines Substances	CAS NO.	(mg/kg)	No.13+No.14	
1 -53	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
+	Conclusion	σ_{D}	2, -	Pass	

Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.
- As specified by client, only test the designated sample.



5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Tool Home Alt STR. NO.	Unit	Results	100	all Limite	
Test Items	No.1+No.3+No.6		LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	A A	Pass	Mur Mur	1/11 - 1/11	

Take technical little of the state of	Unit	Results	1.00	at Limit	
Test Items	Unit	No.2	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	1.0	
Chrysene (CHR)	mg/kg	ND LIFE	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	IND TO THE	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND-	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	WND W	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND TO	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND	0.2	1.0	
Conclusion	A- A	Pass	MUT. ME	24 24	



Test Items	ms Unit Results No.19		LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	1.0	
Chrysene (CHR)	mg/kg	ND	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND ND	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND ND	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND	0.2	1.0	
Conclusion	NIE MI	Pass	1 24 - 25	, T	

Test Items	1101	Unit		Limit
rest items	J. J.	No.20+No.21+No.22	LOQ	Limit
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0
Chrysene (CHR)	mg/kg	ND*	0.2	1.0
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0
Conclusion	- Life	Pass	24. 20.	



Tool Home Mail Mail Mail	l lni4	Results	41.00	Life I mark!	
Test Items	Unit	No.23	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	1.0	
Chrysene (CHR)	mg/kg	ND NAME OF	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND ND	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND T	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	THE ND WILL	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND	0.2	1.0	
Conclusion	LITER MI	Pass	11 24 - 25		

Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.
- (7) As specified by client, only test the designated sample.



6) Colour Fastness to Rubbing

Colour Fastness to Rubbing						
(ISO 105-X12:	2016; Size of rubbir	ng finger: 16mm	n diameter.)		1 1	The fift
are are	24. 24. 1	No.7	No.8	No.9	No.10	Client's Limit
Longeth	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
NAC 141	Dry staining	4-5	4-5	4-5	4-5	2-3
Width Wet staining		4-5	4-5	4-5	4-5	2-3
Conclusion	10, 2,	Pass	Pass	Pass	Pass	24 - 24 - 24 - 24 - 24 - 24 - 24 - 24 -

Colour Fastness to Rubbing						
(ISO 105-X12:	2016; Size of rubbin	g finger: 16mr	m diameter.)	. 4	at at	Set of
me m	20. 2.	No.11	No.12	No.13	No.14	Client's Limit
the set	Dry staining	4-5	4-5	4-5	4-5	2-3
Length	Wet staining	4-5	4-5	4-5	4-5	2-3
140 141	Dry staining	4-5	4-5	4-5	4-5	2-3
Width Wet staining		4-5	4-5	4-5	4-5	2-3
Conclusion		Pass	Pass	Pass	Pass	1/1 - 1/2

Note:

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) As specified by client, only test the designated sample.


Description for Specimen:

Specimen No.	Specimen Description			
ALL THE STEP STEP MITTE	Yellow plastic handle			
2	White plastic tube			
THE STATE STATE SHIPLE	Yellow plastic cap			
4 + 4 +	Yellow plastic hook(VELCRO)			
The man and any	Yellow plastic loop(VELCRO)			
the state of action and and	Yellow plastic cap			
7 1	Blue main fabric			
oneth white 8 into June 1911	Green main fabric			
of the state of th	Green main fabric			
10	Brown main fabric			
the niter will write will will	Yellow main fabric			




Specimen No.	Specimen Description	
12 112	Pink main fabric	
THE LET STEEL SHOULD SH	Orange main fabric	
14	Yellow main fabric	
15 M	Silvery metal tube	
THE 16 STEEL OF THE ME	Silvery metal trip	
17	Silvery metal trip	
LIFE IN 18 WALL WALL WALL	Silvery metal rivet	
19	White plastic trip	
20	White plastic shell	
21	White plastic shell	
22	White plastic tube	
n 23 w w w	Transparent soft plastic gasket	
1 24 1th 10 mile	Silvery metal rivet	











Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

