

# **TEST REPORT**

Report No. ..... : WTF23F09203040C

Applicant .....: Mid Ocean Brands B.V.

Address ...... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer..... 114697

Sample Name ....... Windproof umbrella 27 inch, Windproof square umbrella

Sample Model ...... : MO6175, MO6782

Test Requested..... : Refer to next page (s)

Test Conclusion ...... : Pass (Please refer to next pages for details)

Date of Receipt sample..... : 2023-09-14

**Testing period**...... 2023-09-14 to 2023-09-21

#### Prepared By:

#### Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Gwing Liang

Swing.Liang





## Summary

Item No.	Test Requested	Test Conclusion
UNITER W	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	LIEL NO Pass Miles
2 Whi	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3 TEX	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
5 White	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass



Sample photo:





## **Test Results:**

## 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Taraffin Light	LOQ	Results (mg/kg)		Limit
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5+No.6	(mg/kg)
Lead(Pb)	2	MD*	ND*	500
Conclusion		Pass	Pass	1, 1,

*	LOQ	Result	Limit	
Test Item	(mg/kg)	No.7+No.8+No.9	No.10+No.11+No.12	(mg/kg)
Lead(Pb)	2	ND*	45*	500
Conclusion	st of the	Pass	Pass	11

Charles aliet	LOQ	Results (mg	Limit	
Test Item	(mg/kg)	No.13+No.14+No.16	No.15	(mg/kg)
Lead(Pb)	2 00	61*	ND -	500
Conclusion		Pass	Pass	211 20

All waster atte	LOQ	Results (m	Limit	
Test Item	(mg/kg)	No.17+No.18+No.19	No.20	(mg/kg)
Lead(Pb)	2	ND*	ND -	500
Conclusion	+ + .	Pass	Pass	70, -2,

Till wanter out	LOQ	Results (m	g/kg)	Limit
Test Item	(mg/kg)	No.21+No.22+No.23	No.24	(mg/kg)
Lead(Pb)	2	ND*	ND	500
Conclusion	A	Pass	Pass	70, - 2,

- Tel Tel N	LOQ	Results	Limit	
Test Item	(mg/kg)	No.25	No.26	(mg/kg)
Lead(Pb)	2	ND	ND ND	500
Conclusion	_t+t+ 5	Pass	Pass	



#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.

#### 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Took Home	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.10+No.11+No.12	No.13+No.14+No.16	
Cadmium(Cd)	2	ND*	ND*	
Conclusion	mr -m	Pass	Pass	

Took Hom	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.17+No.18+No.19	No.21+No.22+No23	
Cadmium(Cd)	2	ND*	ND*	
Conclusion	1 10 - 00	Pass	Pass	

Took Itom	LOQ	Results (mg/kg)
Test Item	(mg/kg)	No.24
Cadmium(Cd)	2-	THE NO WE AND A SECOND ASSESSMENT OF THE PARTY OF THE PAR
Conclusion	in me - me m	Pass of the state

#### Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "\*" = Results are calculated by the minimum weight of mixed components.



## 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

t tet stet stet mate	LOQ	Results (%)		Limit
Test Items	(%)	No.10+No.11 +No.12	No.13+No.14 +No.16	(%)
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	in in in
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.037*	0.029*	sum of four phthalates < 0.1
Dibutyl phthalate (DBP)	0.005	ND*	ND*	
Diisobutyl phthalate (DIBP)	0.005	ND*	ND*	mur mur
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	CLIER WITER
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	
Conclusion	19 11/17 W	Pass	Pass	at at si

Test Items	LOQ	Res	Limit		
	(%)	No.17+No.18 +No.19	No.21+No.22 +No.23	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	ND*	THE WALTER WAL	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	0.052*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	0.011*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	0.013*	ND*	MILIER WALTER	
Diisodecyl phthalate (DIDP)	0.01	ND*	ND*	at at .	
Diisononyl phthalate (DINP)	0.01	ND*	ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	ND*	primalates < 0.1	
Conclusion	t set s	Pass	Pass	211 - 21	



Test Items	LOQ	Results (%)	Limit	
	(%)	No.24	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND ND	The state of the s	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	sum of four	
Dibutyl phthalate (DBP)	0.005	ND	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND ND	The state of the	
Diisodecyl phthalate (DIDP)	0.01	ND OF NO.	White white which	
Diisononyl phthalate (DINP)	0.01	ND	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	AL WALL WAS AND WALL	primalates < 0.1	
Conclusion	711. 24	Pass	TER LIER WILL MA	

#### Note:

DBP= Dibutyl phthalate
DINP= Di-isononyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate
DIBP= Diisobutyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

Ne	Aminos Cultatavasa	CAS No.	Limit	Result (mg/kg)	
No. Amine	Amines Substances		(mg/kg)	No.1+No.2+No.3	
1	4-Aminobiphenyl	92-67-1	30	ND*	
2	Benzidine	92-87-5	30	ND*	
3	4-chloro-o-Toluidine	95-69-2	30	ND*	
4	2-Naphthylamine	91-59-8	30	ND*	
5	o-Aminoazotoluene	97-56-3	30	ND*	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	
7	p-Chloroaniline	106-47-8	30	ND*	
8	2,4-diaminoanisol	615-05-4	30	ND*	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	
10	3,3'-Dichlorobenzidine	91-94-1	30	MD*	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	
14	p-cresinin	120-71-8	30	ND*	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	
16	4,4'-Oxydianiline	101-80-4	30	ND*	
17	4,4'-Thiodianiline	139-65-1	30	ND*	
18	o-Toluidine	95-53-4	30	ND*	
19	2,4-Toluylendiamine	95-80-7	30	ND*	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	
21	o-anisidine	90-04-0	30	ND*	
22	4-aminoazobenzene	60-09-3	30	ND*	
23	2,4-Xylidin	95-68-1	30	ND*	
24	2,6-Xylidin	87-62-7	30	ND*	
	Conclusion	75-	at 10th	Pass	

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "\*" = Results are calculated by the minimum weight of mixed components.



#### 5) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Tank forms Tell Stell Stell	LIT HARRY	Results	1.00	100.14	
Test Items	Unit	No.10+No.11+No.12	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	10 KB	Pass	4/2 - 4/1	$\bar{i}_n$	

#### Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "\*" = Results are calculated by the minimum weight of mixed components.



## 6) Colour Fastness to Rubbing

Colour Fastness to Rubbing (ISO 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
					are, an
Length	Dry staining	4-5	4-5	4-5	2-3
	Wet staining	4-5	4-5	4-5	2-3
Width	Dry staining	- 18 <del>1</del> 18th	TER - NET	14. Att.	2-3
	Wet staining	arr -arr	74	4 - 4	2-3
Conclusion	20, 20, 20,	Pass	Pass	Pass	er any - any

## Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.


## **Description for Specimen:**

Specimen No.	Specimen Description
1 1	Black main fabric
with the 5 age of any	Blue main fabric
THE THE 3 THE MY MAN	Dark blue main fabric
4	Black plastic hook(VELCRO)
TEL WATE NOTE AND AND	Blue plastic hook(VELCRO)
t let 6 with out to	Dark blue plastic hook(VELCRO)
7 THE 7 THE 7	Black plastic loop(VELCRO)
SLIFE MILE WHILE WHILE WHILE	Blue plastic loop(VELCRO)
9	Dark blue plastic loop(VELCRO)
10	Black plastic cover
Et sitet 11 et milet unite u	Black plastic handle
12	Black plastic part
White we 13 with the min	Black plastic pole
THE THE STEEL MALE	Black plastic cover
15	Silvery metal sheet
THE MILE 16 TO WILL WELL	Black plastic cover
+ 17+ 5th 3th	Black plastic strip
18	Black plastic shell




Specimen No.	Specimen Description
19	Black plastic strip
20 still mit	Silvery metal rivet
21	Black plastic gasket
nite until 22 to white the	Black plastic tube
23 - 11	Black plastic gasket
24	Black plastic shell
nit m25 mil ml	Silvery metal spring with black plating
26	Silvery metal strip

Photograph of parts tested:









#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report =====

