

TEST REPORT

Report No. : WTF25F04111527C

Job No. : FSW2504301565CJ

Applicant : Mid Ocean Brands B.V.

Kowloon, Hong Kong

Manufacturer..... 114697

Sample Name Foldable umbrella

Sample Model MO8780

Test Requested :: Refer to next page (s)

Test Method Refer to next page (s)

Date of Receipt Sample : 2025-04-30

Testing Period : 2025-04-30 to 2025-05-09

Date of Issue : 2025-05-09

Test Result Refer to next page (s)

Note...... : As specified by client, only test the designated sample.

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Gwing Liang

WTF25F04111527C

Swing Liang

Waltek Testing Group (Foshan) Co., Ltd.



Summary

Item No.	Test Requested	Test Conclusion
28 25 25 1 28 25	Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628	Pass
2	Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217	Pass
3	Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005	Pass
4	Determination of specified Polycyclic Aromatic Hydrocarbons (PAHs) content in submitted sample in accordance with Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013.	Pass
5	Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).	Pass
6	As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.	Pass



Sample photo:



MO8780



MO8780



MO8780



MO8780











MO8780





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Took How	LOQ	Results	(mg/kg)	Limit
Test Item	(mg/kg)	No.1+No.2+No.3	No.4+No.5+No.6	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion		Pass	Pass	the section with

Tool Hom	LOQ	Result	Limit	
Test Item	(mg/kg)	No.7+No.8+No.9	No.10+No.12+No.13	(mg/kg)
Lead(Pb)	2	ND*	16*	500
Conclusion	400	Pass	Pass	

Tool Hom	LOQ	Results	Limit	
Test Item	(mg/kg)	No.11	No.14+No.15+No.18	(mg/kg)
Lead(Pb)	2	17	20*	500
Conclusion	- 1	Pass	Pass	No. of the same

Took Hom	LOQ	Results (mg/kg)			Limit
Test Item	(mg/kg)	No.16	No.17	No.19	(mg/kg)
Lead(Pb)	2	ND	ND	ND	500
Conclusion		Pass	Pass	Pass	\$45 - FILE - 41

A CONTRACTOR OF THE STATE OF TH	LOQ	Results (n	ng/kg)	Limit
Test Item	(mg/kg)	No.20+No.21+No.23	No.22	(mg/kg)
Lead(Pb)	2	ND*	ND	500
Conclusion	A 55 S	Pass	Pass	411





Took King State	LOQ	n the the	Results (mg/kg)	* \$ \$	Limit
Test Item	(mg/kg)	No.24	No.25	No.26	(mg/kg)
Lead(Pb)	2	ND	ND	ND 3	500
Conclusion	10 - 10 -	Pass	Pass	Pass	-

Took Hom	LOQ	Results (mg/kg)		Limit	
Test Item	(mg/kg)	No.27+No.31+No.33	No.28	(mg/kg)	
Lead(Pb)	2	ND*	ND	500	
Conclusion	f 5th 5th	Pass	Pass	A - A	

Tool How	LOQ	Results	Limit	
Test Item	(mg/kg)	No.29	No.30	(mg/kg)
Lead(Pb)	2	ND	ND	500
Conclusion	S CONTRACTOR	Pass	Pass	+ 40 - 50

LOQ		Results (mg/kg)			Limit
Test Item	(mg/kg)	No.32	No.34	No.35	(mg/kg)
Lead(Pb)	2	ND	ND	ND	500
Conclusion	S Land	Pass	Pass	Pass	· .5 ⁶⁵ 5 ⁶

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Took Hom	LOQ	Results	(mg/kg)
Test Item	(mg/kg)	No.10+No.12+No.13	No.14+No.15+No.18
Cadmium(Cd)	2	ND*	ND*
Conclusion	A - A	Pass	Pass

Took kom	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.17	No.20+No.21+No.23	
Cadmium(Cd)	2	ND	ND*	
Conclusion	The Table	Pass	Pass	

Took Hom	LOQ	Results (mg/kg)				
Test Item (mg/kg)	(mg/kg)	No.27+No.31+No.33	No.28			
Cadmium(Cd)	2	ND*	ND			
Conclusion	CANAL TENNE	Pass	Pass			

Test Item	LOQ	Results (mg/kg)				
	(mg/kg)	No.29	No.36			
Cadmium(Cd)	2	ND	ND			
Conclusion	or or	Pass	Pass			

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessorie	s 100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Results (%)	Limit (%)	
STORY STORY MOTOR SECTION	(%)	No.10+No.21+No.13		
Benzyl butyl phthalate (BBP)	0.005	ND*	A 15 A	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	4 4	
Diisodecyl phthalate (DIDP)	0.01	ND*	TEN SHOT SHOT S	
Diisononyl phthalate (DINP)	0.01	ND*	sum of three	
Di-n-octyl phthalate (DNOP)	0.005	ND*	phthalates < 0.1	
Conclusion	100	Pass	Not the second	

Test Items	LOQ (%)	Results (%) No.14+No.15+No.18	Limit (%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	The Party Share	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	THE SHIP SHIP S	
Diisodecyl phthalate (DIDP)	0.01	ND*	- 13 ⁶³ 13 ⁶³ 185	
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	Prilitalates < 0.1	
Conclusion		Pass	1 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -	





Test Items	LOQ (%)	Results (%)	Limit (%)
	(70)	No.20+No.21+No.23	(70)
Benzyl butyl phthalate (BBP)	0.005	ND*	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four
Dibutyl phthalate (DBP)	0.005	0.005 0.072*	
Diisobutyl phthalate (DIBP)	0.005	ND*	a state
Diisodecyl phthalate (DIDP)	0.01	ND*	Ang Ang Ang
Diisononyl phthalate (DINP)	0.01	ND*	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND*	primalates < 0.1
Conclusion		Pass	F July Spring Ship

Test Items	LOQ (%)	Results (%) No.27+No.31+No.33	Limit (%)	
Benzyl butyl phthalate (BBP)	0.005	ND*	The State of	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND*	sum of four	
Dibutyl phthalate (DBP)	0.005	ND*	phthalates < 0.1	
Diisobutyl phthalate (DIBP)	0.005	ND*	Str. Str. Str.	
Diisodecyl phthalate (DIDP)	0.01	ND*	STEP STEP SELECT A	
Diisononyl phthalate (DINP)	0.01	-ND*	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND*	primalates < 0.1	
Conclusion	المهالي الكنيابي	Pass	· 65 575 56	





Test Items	Items LOQ (%)		Limit (%)
Benzyl butyl phthalate (BBP)	0.005	ND	1 1 1
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	sum of four
Dibutyl phthalate (DBP)	0.005	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND	
Diisodecyl phthalate (DIDP)	0.01	ND	AND AND AND
Diisononyl phthalate (DINP)	0.01	ND	sum of three
Di-n-octyl phthalate (DNOP)	0.005	ND	phthalates < 0.1
Conclusion		Pass	Life Life Shirt Will

Note:

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.
- (6) "*" = Results are calculated by the minimum weight of mixed components.





4) Polycyclic Aromatic Hydrocarbons (PAHs)

Test Method: With reference to AFPS GS 2019:01 PAK method, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS).

Test Items	Unit Results No.10+No.12+No.13		LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion	A A	Pass	May The	- 4	

Test Items	Unit Results No.14+No.15+No.18		LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND*	0.2	1.0	
Chrysene (CHR)	mg/kg	ND*	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND*	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND*	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND*	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND*	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND*	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND*	0.2	1.0	
Conclusion		Pass	No. of Lot of Lot of Lot	ST SEL	



Test Items	Unit	Results	400	Limit	
Test items	Onit	No.33	LOQ	Limit	
Benzo(a)anthracene (BaA)	mg/kg	ND	0.2	1.0	
Chrysene (CHR)	mg/kg	ND	0.2	1.0	
Benzo[b]fluoranthene (BbFA)	mg/kg	ND OF ST	0.2	1.0	
Benzo[k]fluoranthene (BkFA)	mg/kg	ND	0.2	1.0	
Benzo(a)pyrene (BaP)	mg/kg	ND	0.2	1.0	
Dibenzo[a,h]anthracene (DBAhA)	mg/kg	ND	0.2	1.0	
Benzo[j]fluoranthene (BjFA)	mg/kg	ND	0.2	1.0	
Benzo[e]Pyrene (BeP)	mg/kg	ND ND	0.2	1.0	
Conclusion		Pass	y neight neigh	Sand and the	

Note:

- (1) ND = Not Detected or lower than limit of quantitation
- (2) mg/kg=milligram per kilogram=ppm
- (3) LOQ = Limit of quantitation
- (4) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Articles shall not be placed on the market for supply to the general public, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 1 mg/kg (0,0001 % by weight of this component) of any of the listed PAHs.
- (5) As per Entries 50 of Annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) No 1272/2013, Toys, including activity toys, and childcare articles, shall not be placed on the market, if any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity, under normal or reasonably foreseeable conditions of use, contain more than 0,5 mg/kg (0,00005 % by weight of this component) of any of the listed PAHs.
- (6) "*" = Results are calculated by the minimum weight of mixed components.





5) AZOTest Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

All S	Aminos Cultatanosa	CACNE	Limit	Result (mg/kg)
No.	Amines Substances	CAS No.	(mg/kg)	No.7+No.8+No.9
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	- ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
	Conclusion		145	Pass







4	A ST ST ST ST	CAS No.	Limit	Result (mg/kg)	
No.	Amines Substances		(mg/kg)	No.16	
1	4-Aminobiphenyl	92-67-1	30	ND ND	
2	Benzidine	92-87-5	30	ND ND	
3	4-chloro-o-Toluidine	95-69-2	30	ND ND	
4	2-Naphthylamine	91-59-8	30	ND	
5	o-Aminoazotoluene	97-56-3	30	ND ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	
7	p-Chloroaniline	106-47-8	30	ND ND	
8	2,4-diaminoanisol	615-05-4	30	ND	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND 5	
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND ND	
14	p-cresinin	120-71-8	30	ND	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	
16	4,4'-Oxydianiline	101-80-4	30	ND ND	
17	4,4'-Thiodianiline	139-65-1	30	ND	
18	o-Toluidine	95-53-4	30	ND	
19	2,4-Toluylendiamine	95-80-7	30	ND	
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	
21	o-anisidine	90-04-0	30	ND	
22	4-aminoazobenzene	60-09-3	30	ND	
23	2,4-Xylidin	95-68-1	30	ND	
24	2,6-Xylidin	87-62-7	30	ND	
7	Conclusion		J. J. J.	Pass	



Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- "*" = Results are calculated by the minimum weight of mixed components.

6) Colour Fastness to Rubbing

Colour Fastness to Rubbing							
(ISO 105-X1	2: 2016; Size of rubbin	g finger: 16mi	m diameter.)			A 10 10	
	St., Apr., Apr.	No.7	No.8	No.9	No.16	Client's Limit	
Longth	Dry staining	4-5	4-5	4-5	4-5	2-3	
Length	Wet staining	4-5	4-5	4-5	4-5	2-3	
Width	Dry staining	4-5	4-5	4-5	, ii , a	2-3	
vviatri	Wet staining	4-5	4-5	4-5	° - ""	2-3	
Conclusion		Pass	Pass	Pass	Pass	. 7	

Note:

(1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.



Description for Specimen:


Specimen No.	Specimen Description
THE STATE SHOW SHOW	Dark red plastic hook(VELCRO)
2 1 10 10	Dark red plastic loop(VELCRO)
3	Green plastic hook(VELCRO)
4	Green plastic loop(VELCRO)
5	Orange plastic hook(VELCRO)
6	Orange plastic loop(VELCRO)
of 1/27 the street state	Dark red main fabric
8	Green main fabric
9	Orange main fabric
10	Black plastic screw
11	Dark silvery metal cap
12	Silvery plastic button with black surface
13	Grey plastic part
14	Black plastic shell
15	Black plastic part
16	Black drawstring
17	Silvery metal screw with black surface
. 18	Black plastic shell
19	Silvery metal tube
20	Black plastic strip
21	Black plastic buckle
22	Silvery metal rivet
23	Black plastic strip
24	Silvery metal strip
25	Silvery metal buckle
26	Silvery metal spring
27	Black plastic buckle




Specimen No.	Specimen Description		
28	Silvery metal strip with black surface		
29	Silvery metal strip with black surface		
30 (4 55	Silvery metal rivet		
31	Black plastic tube		
32	Silvery metal ring		
33	Black plastic tube		
34	Silvery metal ring		
35	White fibrous wire		
36	White plastic part		

Photograph of parts tested:









Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

